

YOKETAN CORPORATION

www.yoketant.com.tw

[Company Profile](#) | [Contact Us](#) | [Site Map](#) | [Crystals, Oscillators & Filters](#) | [Technical](#) | [HOME](#)

Quartz Crystal

- [Crystal Oscillator](#)
- [Crystal filter](#)
- [Crystal Resonators](#)

Ceramic

- [Ceramic Resonator](#)
- [Ceramic Filter](#)
- [Ceramic Discriminator](#)

Saw Device

- [SAW Filter](#)
- [SAW Resonator](#)

Dielectric Parts

- [Dielectric filter](#)
- [Dielectric Resonator](#)
- [Dielectric Patch Antena](#)

Inductor

- [Wire Wound Type Inductor](#)
- [Leaded Type Inductor](#)
- [Multilayer Chip Inductor](#)
- [Multilayer Chip Beads](#)

SAW resonator (dip type one port)

[HOME](#) > [Crystals, Oscillators & Filters](#) > [Saw Device](#) > [SAW Resonator](#) > [SAW resonator \(dip type one port\)](#)



Saw Resonators (Dip Type One Port)

DIP Type One Port SAW resonator

Part Number	Center Frequency (Mhz)	Frequency Tol. (khz)	Insertion Loss (dB)	Package
R224M	224.500	++100	2.5	TO-39/F-11
R260M	260.000	++100	2.5	TO-39/F-11
R297M	297.800	++100	2.5	TO-39/F-11
R303K	303.875	++100	2.5	TO-39/F-11
R303M	303.825	++100	2.5	TO-39/F-11
R304MI	304.300	++100	2.5	TO-39/F-11
R308M	308.500	++100	2.5	TO-39/F-11

E-Cataloge

R310M	310.000	++100	2.5	TO-39/F-11
R311M	311.063	++100	2.5	TO-39/F-11
R314M	314.500	++100	2.5	TO-39/F-11
R315M	315.000	++100	2.5	TO-39/F-11
R318M	318.000	++100	2.5	TO-39/F-11
R325M	325.000	++100	2.5	TO-39/F-11
R335.1M	335.100	++100	2.5	TO-39/F-11
R340M	340.000	++100	2.5	TO-39/F-11
R345M	345.000	++100	2.5	TO-39/F-11
R360M	360.000	++100	2.5	TO-39/F-11
R372.5	372.500	++100	2.5	TO-39/F-11
R395M	395.000	++75	2.5	TO-39/F-11
R403M	403.050	++75	2.5	TO-39/F-11
R418M	418.000	++75	2.5	TO-39/F-11
R423M	423.220	++75	2.5	TO-39/F-11
R426M	426.062	++75	2.5	TO-39/F-11
R433.42M	433.420	++75	2.5	TO-39/F-11
R433M	433.920	++75	2.5	TO-39/F-11
R447M	447.625	++100	2.5	TO-39/F-11
R479M	479.500	++150	2.5	TO-39/F-11
R857.65M	857.650	++250	2.5	TO-39/F-11
R868M	868.000	++250	2.5	TO-39/F-11

R868.35M	868.350	+-250	2.5	TO-39/F-11
R868.95M	868.950	+-250	2.5	TO-39/F-11
R915M	915.000	+-250	2.5	TO-39/F-11

Dimensions

Relative Product :

- [HOME](#) > [Crystals, Oscillators & Filters](#) > [Saw Device](#) > [SAW Resonator](#) > [SAW resonator \(smd type\)](#)
- [HOME](#) > [Crystals, Oscillators & Filters](#) > [Saw Device](#) > [SAW Resonator](#) > [SAW resonator \(dip type two port\)](#)

Copyright Yoketan Corporation. Taiwan Products, B2BChinaSources, B2BtaiwanSources